# **Verification-Based Model Tuning**

Caren Marzban
Applied Physics Laboratory, University of Washington
1013 N.E. 40<sup>th</sup> St.
Seattle, WA 98105-6698

phone: (206) 221-4361 fax: (206) 545-4404 email: marzban@stat.washington.edu

David W. Jones
Applied Physics Laboratory, University of Washington
1013 N.E. 40<sup>th</sup> St.
Seattle, WA 98105-6698

phone: (206) 543-3236 fax: (206) 545-4404 email: dwjones@apl.washington.edu

Scott A. Sandgathe 35574 Camp Creek Rd. Springfield, OR 97478

phone: (541) 988-0289 fax: (541) 988-0289 email: sandgathe@apl.washington.edu

Award Number: N00014-12-1-0276

### LONG-TERM GOALS

All numerical models (e.g., Numerical Weather Prediction models) have certain parameters within model algorithms which effect forecasts to a different degree, depending on the forecast quantity. The specific values of these model parameters are determined either theoretically using fundamental physics laws but incorporating necessary approximations to reduce computational cost, or empirically using observations from field experiments where observational error introduces uncertainty. In either case, the exact value of the parameter is often unknown a priori, and so their values are usually set to improve forecast quality through some form of forecast verification. Such an approach to model tuning, however, requires knowledge of the observations to which the forecasts must be compared, and therefore, a multitude of highly detailed experimental cases in order to fully resolve parameter values, a data set very difficult to obtain. A knowledge of the relationship between model parameters and forecast quantities, without reference to observations, can not only aid in such an observation-based approach to model tuning, it can also aid in tuning the model parameters according to other criteria that may not be based on observations directly, e.g., a desire to affect the forecasts according to some longterm experience of a forecaster. The main goal of our work has been to develop a framework for representing the complex relationship between model parameters and forecast quantities, without any reference to observations.

## **OBJECTIVES**

The specific objective has been to develop and test the aforementioned framework, first on the Lorenz '63 model, and then on COAMPS.

#### **APPROACH**

There are numerous ways of representing the relationship between a set of input variables (e.g., model parameters) and a set of output variables (e.g., forecast quantities). A most common way is to simply develop a multivariate regression model relating the inputs to the outputs. However, such an approach presumes that 1) the choice of the inputs, and their interactions, are already known; it also 2) requires specifying which variables should be inputs and which should be outputs, because in regression the inputs and outputs are not treated symmetrically. In practice, however, it is often not known which inputs affect the outputs, and which do not. Also, it is often desirable to represent the relationship between the inputs and the outputs in a symmetric way, similar to the notion of a correlation. We address the first point by using a Variance-Based Sensitivity Analysis (VBSA), which is capable of assessing the predictive strength of each input variable (e.g., model parameter), the interaction between them, and their statistical uncertainty. The symmetric assessment of the association between the inputs and the outputs is performed through a Canonical Correlation Analysis (CCA).

It is important to point out that all of the above approaches require only model forecasts, and no analysis or observations. This is an important feature of the method because model forecasts are generally and significantly easier to generate than observations.

#### WORK COMPLETED

The VBSA has now been applied to the Lorenz '63 model, and the results have been compared to an adjoint-based approach to sensitivity analysis (Marzban 2013).

VBSA has also been applied to COAMPS (Marzban, Sandgathe, Doyle, Lederer 2013).

CCA has been employed to determine the combination of model parameters, and the combination of forecast quantities, which are most correlated with one another (Marzban, Sandgathe Doyle 2013)...

#### **RESULTS**

The results of the Lorenz '63 model are twofold: First, we demonstrated that the VBSA can be applied to a reasonably complex, nonlinear model. More substantively, we showed that the Z state variable in the Lorenz model (normally representing vertical temperature variation) is most sensitive to the r and b parameters (related to the Raleigh number and wavenumber, respectively). We also found there is evidence for an interaction between these two model parameters. Finally, we showed that the VBSA method produces similar results to the adjoint-based sensitivity analysis method, with the exception that the VBSA additionally provides measures of uncertainty. An example of all of the results is shown in Figure 1, where the distributions of some sensitivity measures (V, VT, S, ST), and measures of interaction, are shown. The boxplots summarize the underlying distributions in a way that displays their uncertainty. Also, we find that Latin Hypercube sampling of the parameter space (grey boxplots) produces more precise estimates than simple random sampling.

The VBSA method was applied to eleven model parameters in COAMPS and four forecast quantities. A complete list of the parameters is shown in Table 1; the four forecast quantities are 24hr forecasts of convective, stable, and total precipitation, and accumulated snow. Regarding convective precipitation, we find the most influential parameter to be the fraction of available precipitation in the Kain-Fritsch cumulus parameterization fed back to the grid scale. Stable and total precipitation are most affected by

a linear factor that multiplies the surface fluxes; and the parameter that most affects accumulated snow is the microphysics slope intercept parameter for snow. Furthermore, all of the interactions between the parameters are found to be either exceedingly small, or have too much variability (across days and/or parameter values) to be of primary concern Figure 2 and 3 provide two visual displays of all the sensitivities and interactions for convective precipitation. Although it is natural for the eye to be drawn to the parameters (and interactions) with the highest sensitivities, it is important to point out that knoweldge of the parameters with near-zero sensitivity is also important because one can them neglect them in model tuning

Although not shown in this report, the above VBSA showed that the four forecast quantities are controlled by different sets of model parameters. This finding implies that optimally setting the model parameters in a way to affect one forecast quantity may have adverse effects on other forecast quantities. As such, it is natural to ask what combination of the forecast quantities is optimally controlled by the model parameters. CCA is designed to answer a similar question: What linear combination of the forecast quantities, and what linear combination of the model parameters, are maximally correlated? These linear combinations are called Canonical Variates (CV). We showed that the forecast quantities are indeed correlated, and that their CVs are controlled by specific model parameter CVs. The coefficients in the linear combinations, also called loadings, measure the degree to which model parameters contribute to their CV, and the degree to which a forecast quantity contributes to its CV. Figure 4 shows these loadings for COAMPS. The symbols denoting the parameters are shown in Marzban, Sandgathe, and Doyle (2013); conv, stab, and snow denote convective precipitation, stable precipitation, and accumulated snow. The boxplots display both daily variability (across 36 days sampled between January and July, 2009) and sampling variability in parameter space. From these results it follows that the model parameters can be set to affect the sum, and the difference between convective and stable precipitation, while keeping snow mostly constant; a different combination of model parameters is shown to mostly affect the difference between stable precipitation and snow, with minimal effect on convective precipitation.

## **IMPACT/APPLICATIONS**

All of these results can be used to better set model parameters for the purpose of improving forecasts.

## RELATED PROJECTS

There are no related projects, but an NSF proposal is in preparation wherein the forecast quantities are **spatial features** of the forecasts, e.g., the number of "objects," their location, and orientation (as approximated by the axes of an ellipse) in a forecast field.

## **PUBLICATIONS**

Marzban, C. 2013: Variance-based sensitivity analysis: An illustration on the Lorenz '63 model. *Monthly Weather Review,* **141(11)**, 4069-4079.

Marzban, C., Scott Sandgathe, James D. Doyle 2013: Model tuning with canonical correlation analysis. *Monthly Weather Review*. Fully accepted for publication; in press.

Marzban, C., Scott Sandgathe, James D. Doyle, Nicholas C. Lederer 2013: Variance-based sensitivity analysis: Preliminary results in COAMPS. *Monthly Weather Rev.*. Accepted for publication; in press.




Figure 1. The distribution of sensitivity and interaction measures for the Lorenz '63 model. The white boxplots correspond to a simple random sampling of the model parameter space, and the grey boxplots correspond to a latin hypercube sampling. It can be seen that the latter provide more precise estimates.




Figure 2: Distribution/boxplot of sensitivity of convective precipitation on model parameters (top) and their interactions (bottom). The model parameters are listed in the top/right corner, and their detailed description can be found in Table 1.




Figure 3: A network diagram for visualizing the sensitivities and the interaction between the model parameters.




Figure 4. The loading of the model parameters (left), and the loading for the forecast quantities (right) when the corresponding CVs are most correlated (top), i.e. correlation coefficient  $\sim 0.95$ . The two loadings on two lower-correlated CVs (correlation coefficient  $\sim 0.85$ , and 0.70) are also shown (middle and bottom rows).

Table 1. The COAMPS model parameters, their default values, and the range used in the study.

Name (Unit)	Description	Default	Range
mixlen	Linear factor that multiplies the mixing length		
	within the PBL	1.0	0.5, 1.5
sfcflx	Linear factor that modifies the surface fluxes	1.0	0.5, 1.5
wfctKF	Linear factor for the vertical velocity (grid scale)		
	used by KF trigger	1.0	0.5, 1.5
$\mathrm{delt1KF}\ (^{\circ}C)$	Temperature increment at the LCL for KF trigger	0	-2, 2
delt2KF (° $C$ )	Another method to perturb the temperature at the		
	LCL in KF	0	-2, 2
prepfrac	Fraction of available precipitation in KF,		
	fed back to the grid scale	0.5	0, 1
cloudrad (m)	Cloud radius factor in KF	1500	500, 3000
autocon 1 $\left(\frac{kg}{m^3s}\right)$	Autoconversion factors for the microphysics	0.001	1e-4, 1e-2
autocon2 $\left(\frac{kg}{m^3s}\right)$	Autoconversion factors for the microphysics	4e-4	4e-5, 4e-5
rainsi $(\frac{1}{m})$	Slope intercept parameter for rain in the microphysics	8.0e6	8.0e5, 8.0
snowsi $(\frac{1}{m})$	Slope intercept parameter for snow in the microphysics	2.0e7	2.0e6, 2.0

KF = Kain-Fritsch

 ${\rm PBL} = {\rm Planetary\ Boundary\ Layer}$ 

 $\label{eq:local_local} \ensuremath{\mathrm{LCL}} = \ensuremath{\mathrm{Lifted}} \ensuremath{\,\,\mathrm{Condensation}} \ensuremath{\,\,\mathrm{Level}}$ 

#### REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

			THE ABOVE ADDRESS.	ina ONIB control har	ilber.			
	REPORT DATE (DD-MM-YYYY) 2. REPORT TYPE			3. DATES COVERED (From - To)				
	-01-2014		Final Progress	Report		1/1/2012 - 9/30/2013		
4. TITLE AND	SUBTITLE				5a. COI	NTRACT NUMBER		
Verifiction-B	ased Model Tu	ıning						
					5b. GR	b. GRANT NUMBER		
						N00014-12-1-0276		
						5c. PROGRAM ELEMENT NUMBER		
					00. 1110	OGNAM ELEMENT NOMBER		
6. AUTHOR(S)					5d. PROJECT NUMBER			
Caren Marzban David Jones								
	Sandgathe				5e. TASK NUMBER			
Scott	Banagathe							
					5f WO	ORK UNIT NUMBER		
	Ji. W					III CIIII NOMBEN		
			AND ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER		
		ory - Univers	ity of Washington					
	10th Street A 98105-669	o						
Seattle, W	A 90103-009	o						
9. SPONSORIN	IG/MONITORING	AGENCY NA	ME(S) AND ADDRESS(ES	1		10. SPONSOR/MONITOR'S ACRONYM(S)		
Office of Naval Research (ONR 322)						ONR		
875 North Randolph Street						) or the		
Arlington, VA 22203-1995						11. SPONSOR/MONITOR'S REPORT		
						NUMBER(S)		
12. DISTRIBUT	ION/AVAILABIL	TY STATEME	NT					
Approved for Public Release; Distribution is unlimited								
40. CUDDI FMENTADV NOTEO								
13. SUPPLEMENTARY NOTES								
None								
14. ABSTRACT								
All numerical models (e.g., Numerical Weather Prediction models) have certain parameters within model algorithms which effect								
forecasts to a different degree, depending on the forecast quantity. The specific values of these model parameters are determined								
either theoretically using fundamental physics laws but incorporating necessary approximations to reduce computational cost, or								
empirically using observations from field experiments where observational error introduces uncertainty. In either case, the exact								
value of the parameter is often unknown a priori, and so their values are usually set to improve forecast quality through some form								
of forecast verification. In this work, methods for sensittivity analysis and experimental design are developed to aid in better								
understanding the relationship between model parameters and forecasts, and in turn improve the latter.								
AF CURIENT TERMO								
15. SUBJECT TERMS								
sensitivity analysis, experimental design, Lorenz model, weather prediction								
16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF 18. NUMBER 19a. NAME OF RESPONSIBLE PERSON						ME OF RESPONSIBLE PERSON		
a. REPORT   b. ABSTRACT   c. THIS PAGE   ABSTRACT   OF   Caren Marzban								
			UU	PAGES		EPHONE NUMBER (Include area code)		
U	U	U		9		206-221-4361		